



## **QUICK REFERENCE GUIDE**









CP-480



CP-500N



CP-600



Custom Cold Pan



#### **ॐ** GENERAL INFORMATION

Project Name:

Item:

Quantity:

Model:
CP-120

Length:

#### **ॐ** GENERAL SPECIFICATION

#### **Materials**

- 18-Gauge Brushed Finish Type 304 Stainless Interior Pan Liner
- 16-Gauge Brushed Finish Type 304 Stainless Exterior
- Pressure Foamed Insulation
- 1/2" Drain with Ball Valve and 60" Clear PVC Drain Tube

#### Construction

- NSF Standard 2 Construction
- Coved Corner Pan

#### **EXTERIOR MATERIAL OPTIONS**


☐ Hardwood Veneer	: Туре	
☐ Hardwood (Solid):	Type	
□ Plastic Laminate:	Color	
□ Solid Surface:	Color	

#### **EXTERIOR FINISH OPTIONS**

■ Mirror Polishe	d	
☐ Stain:	Type	
□ Powder Coat:	Color	

# **CP-120**Counter-Top Marche Style Cold Pan





MODEL	CP-120-2424	CP-120-2430	CP-120-2436	CP-120-2442	CP-120-2448
Length	24"	30"	36"	42"	48"
Width	24"	24"	24"	24"	24"
Net Weight	40 lbs.	47 lbs.	55 lbs.	64 lbs.	73 lbs.
Shipping Weight	57 lbs.	63 lbs.	74 lbs.	85 lbs.	97 lbs.
Cubes	7	7	8	9	11

## \* Approval Drawings Required

Printed in the U.S.A. (January 2020) BSI, LLC Specifications subject to change without notice.



		RMATI	

Project Name:

Item:
Quantity:
Model:
CP-480
Length:

#### GENERAL SPECIFICATION

#### **Materials**

- 18-Gauge Brushed Finish Type 304 Stainless Interior Pan Liner
- 16-Gauge Brushed Finish Type 304 Stainless Exterior
- Pressure Foamed Insulation
- 1/2" Drain with Ball Valve and 60" Clear PVC Drain Tube

#### Construction

- NSF Standard 2 Construction
- Coved Corner Pan


#### **EXTERIOR MATERIAL OPTIONS**


□ Hardwood Veneer	: Туре	
☐ Hardwood (Solid):	Type	
□ Plastic Laminate:	Color	
■ Solid Surface:	Color	

#### EXTERIOR FINISH OPTIONS

☐ Mirror Polished						
☐ Stain:	☐ Stain: Type					
□ Powder Coat: Color						
■ Mechanical F	Refrigera	ation				







MODEL	CP-480- 3036	CP-480- 3048	CP-480- 3060	CP-480- 3072	CP-480- 3084	CP-480- 3636	CP-480- 3648	CP-480- 3660	CP-480- 3672	CP-480- 3684
Length	36"	48"	60"	72"	84"	36"	48"	60"	72"	84"
Width	30"	30"	30"	30"	30"	36"	36"	36"	36"	36"
Net Weight	125 lbs.	161 lbs.	198 lbs.	234 lbs.	270 lbs.	147 lbs.	189 lbs.	232 lbs.	274 lbs.	317 lbs.
Shipping Weight	175 lbs.	222 lbs.	270 lbs.	317 lbs.	365 lbs.	204 lbs.	258 lbs.	313 lbs.	368 lbs.	423 lbs.
Cubes	33	43	53	63	73	40	52	63	75	87

## \* Approval Drawings Required

Printed in the U.S.A. (January 2020) BSI, LLC Specifications subject to change without notice.



#### GENERAL INFORMATION

Project Name:	
Item:	
Quantity:	
Model:	CP-500N
Length:	

The CP-500N is manufactured by BSI, LLC. The refrigerated rotating cold pan offers a unique approach in holding and displaying food items. It's round, multi-bin form factor allows multiple food offerings from a compact space. By spinning the outer ring of the unit the customer can quickly rotate it to allow access to the food bin of their choice.

The CP-500N is available as a part of a larger counter unit or a self-contained mobile unit.

#### **⇒** GENERAL SPECIFICATION

#### **Materials**

- 14 Gauge #4 Brushed Finish Type 304 Stainless Interior Pan Liner and Top Flange
- 18 Gauge Galvanized Exterior Pan Liner
- 14 Gauge Galvanized Condensing Unit Housing
- 1-1/2" Thick Standard Foam in Place Insulation

#### Construction

- NSF Standard 7 Construction Refrigerators and Freezers
  - CP-500N pans are 3" below counter for cold air to circulate over the food
- R404a Refrigerant

#### Standard Size


- 9" Unit Depth with 6" Pans
- Diameter: 24", 30", or 36" (inside tub dimension)

#### **≫** UNIT DIAMETER

- ☐ 24" with 6 Bain Maries or 4 Triangle Pans
- 30" with 12 Bain Maries or 4 Triangle Pans
- □ 36" with 18 Bain Maries or 4 Triangle Pans

#### PAN OPTIONS

- ☐ Standard Bain Marie (4-3/8" Diameter)
- ☐ Standard 6" Triangular Pan (Qty. 4)









## **CP-500N**

**Drop-in Rotating Cold Pan** 





#### **≫** REFRIGERATION UNIT OPTIONS

- ☐ Self-Contained (Standard)
- Remote
  - Less condensing unit
  - Unit includes refrigerated cold pan, digital thermostat, expansion valve and solevoid valve.

#### **ACCESORIES**

- □ Remote Control Panel for Counter Mounting
- ☐ Food Shield (Contact BSI for more information.)

MODEL CP-500N-24		CP-500N-30	CP-500N-36	
Compressor	1/4 Hp	1/4 Hp	1/4 Hp	
Refrigerant	R404a	R404a	R404a	
Volts	120	120	120	
Amps	6.7	6.7	6.7	
BTU's	500	700	1000	
Plug	NEMA 5-15	NEMA 5-15	NEMA 5-15	

## \* Approval Drawings Required

Printed in the U.S.A. (January 2020 BSI, LLC Specifications subject to change without notice.









#### GENERAL INFORMATION

Project Name:

Item:
Quantity:
CP-600

#### **DESCRIPTION**

Length:

The Custom Mechanical Drop-In, Curved Cold pan is manufactured by BSI, LLC. The maximum size is 6' on the outside radius.

For larger sizes contact the factory at 1.800.662.9595.

#### GENERAL SPECIFICATION

#### **Materials**

- 14-Gauge Brushed Finish Type 304 Stainless Interior
- 18-Gauge Brushed Finish Type 304 Stainless Exterior Below Cabinet
- 2" Pressure Foamed Installation
- 1/2" Drain with Ball Valve

#### Construction

- BSI builds to NSF Standard 7 Construction
- 404 Refrigerant

#### **Standard Size**

- 10" Unit Depth
- 2-1/2" Flange on both sides


#### **REFRIGERATION UNIT OPTIONS**


- □ Self-Contained (Standard)
- □ Remote

#### PAN OPTIONS

□ Perferated Pans

# CP-600 Custom Mechanical Drop-In, Curved Cold Pan





## \* Approval Drawings Required

Printed in the U.S.A. (January 2020) BSI, LLC Specifications subject to change without notice.









#### GENERAL INFORMATION

**Project Name:** Item: Quantity: Model: Length:

#### **▶** DESCRIPTION

The Custom Mechanical Drop-In Cold pan is manufactured by BSI, LLC.

Standard size shown. For custom sizes contact the factory at 1.800.662.9595.

#### GENERAL SPECIFICATION

#### **Materials**

- 14-Gauge Brushed Finish Type 304 Stainless Interior
- 18-Gauge Brushed Finish Type 304 Stainless **Exterior Below Cabinet**
- 2" Pressure Foamed Installation
- 1/2" Drain with Ball Valve

#### Construction

- BSI builds to NSF Standard 7 Construction
- 404 Refrigerant

#### **Standard Size**

- 10" Unit Depth
- 2-1/2" Flange on both sides
- Inside Rectangle 22" W x 38-1/2" L
- Full Rectangle 27" W x 43-1/2" L

### REFRIGERATION UNIT OPTIONS


- □ Self-Contained (Standard)
- □ Remote


#### PAN OPTIONS

Perferated Pans

## **CUSTOM COLD PAN**

Custom Mechanical Drop-In Cold Pan





## \* Approval Drawings Required

Printed in the U.S.A. (January 2020) BSI, LLC Specifications subject to change without notice.



